

Environment Protection Licence



Licence - 299

Licence Details

Number:	299
Anniversary Date:	30-September

Licensee

CLEARY BROS (BOMBO) PTY LTD

PO BOX 210

PORT KEMBLA NSW 2505

Premises

CLEARY BROS (BOMBO) PTY LTD

LOT 3 PRINCES HIGHWAY

ALBION PARK RAIL NSW 2527

Scheduled Activity

Extractive Activities

Mining for Minerals

Fee Based Activity

	<u>Scale</u>
Land-based extractive activity	> 500000-2000000 T extracted, processed or stored
Mining for minerals	> 500000-2000000 T produced

Region

Metropolitan - Illawarra

Level 3, NSW Govt Offices, 84 Crown Street

WOLLONGONG NSW 2500

Phone: (02) 4224 4100

Fax: (02) 4224 4110

PO Box 513 WOLLONGONG EAST

NSW 2520

Environment Protection Licence



Licence - 299

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Other activities	6
A4 Information supplied to the EPA	6
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	8
L1 Pollution of waters	8
L2 Concentration limits	8
L3 Blasting	9
4 OPERATING CONDITIONS	10
O1 Activities must be carried out in a competent manner	10
O2 Maintenance of plant and equipment	10
O3 Dust	10
O4 Effluent application to land	10
O5 Waste management	11
O6 Other operating conditions	11
5 MONITORING AND RECORDING CONDITIONS	11
M1 Monitoring records	11
M2 Requirement to monitor concentration of pollutants discharged	11
M3 Testing methods - concentration limits	13
M4 Weather monitoring	14
M5 Recording of pollution complaints	14
M6 Telephone complaints line	15

Environment Protection Licence



Licence - 299

M7	Blasting	15
6	REPORTING CONDITIONS	15
R1	Annual return documents	15
R2	Notification of environmental harm	16
R3	Written report	16
7	GENERAL CONDITIONS	17
G1	Copy of licence kept at the premises or plant	17
DICTIONARY		18
	General Dictionary	18

Environment Protection Licence

Licence - 299



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Environment Protection Licence

Licence - 299



The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

CLEARY BROS (BOMBO) PTY LTD

PO BOX 210

PORT KEMBLA NSW 2505

subject to the conditions which follow.

Environment Protection Licence

Licence - 299



1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Extractive Activities	Land-based extractive activity	> 500000 - 2000000 T extracted, processed or stored
Mining for Minerals	Mining for minerals	> 500000 - 2000000 T produced

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
CLEARY BROS (BOMBO) PTY LTD
LOT 3 PRINCES HIGHWAY
ALBION PARK RAIL
NSW 2527
LOT 1 DP 858245, LOT 2 DP 1021840, LOT 23 DP 1039967
TEMPORARY ACCESS TO A PORTION (11540 SQ. METRES) OF LOT 2 DP 858245 AS SHOWN ON QUARRY EMP FIG 2.1.

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

Ancillary Activity
Concrete works

A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

Environment Protection Licence

Licence - 299



- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

<i>Air</i>			
EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Dust deposition monitoring		APD 1 - within 100m of the premises entrance gate, labelled as Dust Monitor 1 in the map titled 'Figure 3 - Monitoring Locations' (dated 23 September 2010) and received by the EPA 21 February 2015.
2	Dust deposition monitoring		APD 2 - approximately 200 metres east of original quarry area and labelled as Dust Monitor 2 in the map titled 'Figure 3 - Monitoring Locations' (dated 23 September 2010) and received by the EPA 21 February 2015.
3	Dust deposition monitoring		APD 3 - approximately 200m East of main holding and sedimentation dam titled as Dust Monitor 3 in the map labelled 'Figure 3 - Monitoring Locations' (dated 23 September 2010) and received by the EPA 21 February 2015.
8	Dust deposition monitoring		APD 4 - approximately 150m North East of quarry extension, labelled as Dust Monitor 4 in the map titled 'Figure 3 - Monitoring Locations' (dated 23 September 2010) and received by the EPA 21 February 2015.

P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
------------------------	--------------------------	-------------------------	----------------------

Environment Protection Licence

Licence - 299



4	Effluent Quality Monitoring - Discharge to waters	Effluent Quality Monitoring - Discharge to waters	Outlet of main holding and sedimentation pond and labelled as 'sampling DP1' on drawing No ESA PQ011 (Rev 1) titled "Water Pollution Control Plan" for Lic 299.
5	Effluent Quality Monitoring		Package Sewage Treatment Plant. See drawing No ESA PQ011 (Rev 1) titled "Water Pollution Control Plan" for Lic 299.
6	Effluent quality monitoring - Discharge to waters	Effluent quality monitoring - Discharge to waters	Any discharge from the quarry extension (Lot 1 DP858245 and labelled as 'sampling point DP2'.
7	Effluent Quality Monitoring		Water course west of the Quarry Managers Office at the point where the creek exits the premises.

3 Limit Conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

L2.1 For each monitoring/discharge point or utilisation area specified in the table below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.

L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.

L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table.

L2.4 Water and/or Land Concentration Limits

POINT 4

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
pH	pH				6.5 - 8.5

Environment Protection Licence

Licence - 299



Total suspended solids	milligrams per litre	50
------------------------	----------------------	----

POINT 6

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
pH	pH				6.5 - 8.5
Turbidity	nephelometric turbidity units				32.2

L3 Blasting

L3.1 The airblast overpressure level from blasting operations in or on the premises must not exceed:

- a) 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period; and
- b) 120 dB (Lin Peak) at any time.

At any point that is located at least 3.5m from any residence or other sensitive receiver on privately-owned land .

L3.2 The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed:

- a) 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period; and
- b) 10 mm/s at any time.

At any point that is located at least 3.5m from any residence or other sensitive receiver on privately-owned land .

L3.3 Blasting must be limited to one blast each day.

Where compelling safety reasons exist, the Authority may permit additional blasts to occur where prior written (or facsimile) notification of any additional blasts are made to the Authority.

L3.4 Blasting operations at the premises may only take place between 9:00am – 5:00pm Monday to Friday.

Where compelling safety reasons exist, the Authority may permit a blast to occur outside the abovementioned hours. Prior written (or facsimile) notification of any such blast must be made to the Authority.

Environment Protection Licence



Licence - 299

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:

- a) must be maintained in a proper and efficient condition; and
- b) must be operated in a proper and efficient manner.

O3 Dust

O3.1 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.

O3.2 The licensee must ensure all loaded vehicles leaving the premises are covered.

O3.3 The licensee must ensure all loaded vehicles leaving the premises are cleaned of materials that may fall on public roads before they are allowed to leave the premises.

O4 Effluent application to land

O4.1 The sewage treatment plant linked to the wastewater utilisation area must be maintained and operated to achieve the effluent quality limits listed in the table below at all times:

If any of these limits is exceeded the licensee must:

- (a) Immediately service the plant, and
- (b) Monitor effluent quality at weekly intervals until the effluent quality limits specified in this condition are achieved.

Pollutant	Units	Concentration Limit
Oil and grease	milligrams per litre	30
Total suspended solids	milligrams per litre	50
Biochemical Oxygen Demand	milligrams per litre	150

O4.2 The quantity of effluent/solids applied to the utilisation area must not exceed the capacity of the area to effectively utilise the effluent/solids.

Environment Protection Licence

Licence - 299



For the purpose of this condition, 'effectively utilise' include the use of the effluent/solids for pasture or crop production, as well as the ability of the soil to absorb the nutrient, salt, hydraulic load and organic material.

- O4.3 If weather or soil condition preclude irrigation, the holding tanks must not overflow and effluent must be tankered away and disposed of in a manner which does not pollute waters.
- O4.4 A minimum of 2500 square metres must be retained for use as the wastewater utilisation area.

O5 Waste management

- O5.1 All liquid and non liquid wastes resulting from activities and processes at the site must be assessed, classified and managed in accordance the EPA's Environmental Guidelines: Assessment, Classification and Management of Liquid and Non-liquid Wastes (1999), or any other EPA document superceding this guideline.

O6 Other operating conditions

- O6.1 FLOCCULANTS USED IN WATER TREATMENT

The licensee must not use a flocculant other than gypsum, without the written approval of the Authority.

5 Monitoring and Recording Conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
 - a) in a legible form, or in a form that can readily be reduced to a legible form;
 - b) kept for at least 4 years after the monitoring or event to which they relate took place; and
 - c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
 - a) the date(s) on which the sample was taken;
 - b) the time(s) at which the sample was collected;
 - c) the point at which the sample was taken; and
 - d) the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

Environment Protection Licence



Licence - 299

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

POINT 1

Pollutant	Units of measure	Frequency	Sampling Method
Ash	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003
Insoluble solids	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003

POINT 2

Pollutant	Units of measure	Frequency	Sampling Method
Ash	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003
Insoluble solids	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003

POINT 3

Pollutant	Units of measure	Frequency	Sampling Method
Ash	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003
Insoluble solids	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003

POINT 8

Pollutant	Units of measure	Frequency	Sampling Method
Ash	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003
Insoluble solids	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003

M2.3 Water and/ or Land Monitoring Requirements

POINT 4

Environment Protection Licence



Licence - 299

Pollutant	Units of measure	Frequency	Sampling Method
pH	pH	Each overflow event	Grab sample
Total suspended solids	milligrams per litre	Each overflow event	Grab sample

POINT 5

Pollutant	Units of measure	Frequency	Sampling Method
Biochemical oxygen demand	milligrams per litre	Quarterly	Grab sample
Oil and Grease	milligrams per litre	Quarterly	Grab sample
Total suspended solids	milligrams per litre	Quarterly	Grab sample

POINT 6

Pollutant	Units of measure	Frequency	Sampling Method
pH	pH	Daily during any discharge	Grab sample
Turbidity	nephelometric turbidity units	Daily during any discharge	Grab sample

POINT 7

Pollutant	Units of measure	Frequency	Sampling Method
pH	pH	Daily during any discharge	Grab sample
Total suspended solids	milligrams per litre	Daily during any discharge	Grab sample

M3 Testing methods - concentration limits

- M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:
- any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
 - if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
 - if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2010* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

Environment Protection Licence

Licence - 299



M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Weather monitoring

M4.1 At the Weather Station Monitoring Point, the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1. The licensee must use the sampling method, units of measure, averaging period and sample at the frequency, specified opposite in the other columns.

Parameter	Units of Measure	Frequency	Averaging Period	Sampling Method
Rainfall	millimetres	Continuous	24 hour	AM-4
Temperature@2m	Kelvin	Continuous	1 hour	AM-4
Temperature@10m	Kelvin	Continuous	1 hour	AM-4
Wind direction@10m	Compass points	Continuous	1 hour	AM-2
Wind speed@10m	metres per second	Continuous	1 hour	AM-2
Sigma theta	degrees	Continuous	1 hour	AM-2
Total solar radiation@10m	Watts per square metre	Continuous	1 hour	AM-4
Siting	-	-	-	AM-1

Note: Sampling Method is in accordance with the NSW EPA, 2001, Approved Methods for the Sampling and Analysis of Air Pollutants in NSW.

M5 Recording of pollution complaints

M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M5.2 The record must include details of the following:

- a) the date and time of the complaint;
- b) the method by which the complaint was made;
- c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- d) the nature of the complaint;
- e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- f) if no action was taken by the licensee, the reasons why no action was taken.

M5.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

Environment Protection Licence



Licence - 299

M5.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M6 Telephone complaints line

M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M6.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

M7 Blasting

M7.1 Each production blast must be monitored and recorded at the permanent station established near the Dunster residence.

M7.2 To determine compliance with the blasting limits contained in this licence:

(a) Airblast overpressure and ground vibration levels must be measured for all production blasts carried out in or on the premises; and

(b) The written record must include:

(i) the time and date of each blast;

(ii) the station(s) at which the noise was measured;

(iii) the ground vibration for each blast;

(iv) the airblast overpressure for each blast;

(v) evidence that during the past 12 month period, a calibration check had been carried out on each blast monitor to ensure accuracy of the reported data; and

(vi) the waveform for the ground vibration and overpressure for each blast that exceeds a ground vibration of 5mm/sec (peak particle velocity) or an airblast overpressure of 115dB(L).

(c) Instrumentation used to measure the airblast overpressure and ground vibration levels must meet the requirements of Australian Standard 2187.2 of 1993 or as updated.

6 Reporting Conditions

R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

a) a Statement of Compliance; and

b) a Monitoring and Complaints Summary.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

Environment Protection Licence

Licence - 299



R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statement of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

R2 Notification of environmental harm

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

R3 Written report

Environment Protection Licence



Licence - 299

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
- a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,
- and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- a) the cause, time and duration of the event;
 - b) the type, volume and concentration of every pollutant discharged as a result of the event;
 - c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
 - e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
 - f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
 - g) any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Environment Protection Licence



Licence - 299

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence



Licence - 299

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence



Licence - 299

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Mr Nigel Sargent

Environment Protection Authority

(By Delegation)

Date of this edition: 18-November-1999

Environment Protection Licence

Licence - 299



End Notes

- 1 Licence varied by notice 1003792, issued on 17-Jul-2002, which came into effect on 11-Aug-2002.
- 2 Licence varied by notice 1038336, issued on 30-Jun-2004, which came into effect on 05-Jul-2004.
- 3 Licence varied by change to DEC Region allocation, issued on 16-Mar-2006, which came into effect on 16-Mar-2006.
- 4 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 5 Licence varied by notice 1104858, issued on 01-Oct-2009, which came into effect on 01-Oct-2009.
- 6 Licence varied by notice 1112255, issued on 09-Apr-2010, which came into effect on 09-Apr-2010.
- 7 Licence varied by notice 1121866, issued on 15-Mar-2011, which came into effect on 15-Mar-2011.
- 8 Licence varied by notice 1502527 issued on 08-Dec-2011
- 9 Licence varied by notice 1529498 issued on 16-Apr-2015