


Appendix B

ENVIRONMENT PROTECTION LICENCE

Environment Protection Licence

Licence - 4146



Licence Details

Number:	4146
Anniversary Date:	01-February
Review Due Date:	12-Nov-2013

Licensee

CLEARY BROS (BOMBO) PTY LTD
 PO BOX 210
 PORT KEMBLA NSW 2505

Licence Type

Premises

Premises

SOUTHERN EXTRACTION AREA
 BERRY BEACH ROAD
 GERROA NSW 2534

Scheduled Activity

Dredging Works

Fee Based Activity

Water-based extractive activity

Scale


> 50000 - 100000 m3 obtained or moved

Region

Metropolitan
 Level 3, NSW Govt Offices, 84 Crown Street
 WOLLONGONG NSW 2500
 Phone: 02 4224 4100
 Fax: 02 4224 4110
 PO Box 513 WOLLONGONG EAST
 NSW 2520

Environment Protection Licence


Licence - 4146




INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee.....	4
Variation of licence conditions	4
Duration of licence.....	4
Licence review.....	4
Fees and annual return to be sent to the EPA.....	4
Transfer of licence	5
Public register and access to monitoring data.....	5
1 ADMINISTRATIVE CONDITIONS	5
A1 What the licence authorises and regulates	5
A2 Premises to which this licence applies	6
A3 Other activities	6
A4 Information supplied to the EPA	7
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas.....	7
3 LIMIT CONDITIONS	7
L1 Pollution of waters.....	7
L2 Load limits.....	8
L3 Concentration limits.....	8
L4 Volume and mass limits	8
L5 Waste.....	8
L6 Noise Limits	8
4 OPERATING CONDITIONS	8
O1 Activities must be carried out in a competent manner.....	8
O2 Maintenance of plant and equipment.....	9
5 MONITORING AND RECORDING CONDITIONS	9
M1 Monitoring records.....	9
M2 Requirement to monitor concentration of pollutants discharged.....	9
M3 Testing methods - concentration limits	9
M4 Recording of pollution complaints.....	9
M5 Telephone complaints line.....	10
M6 Requirement to monitor volume or mass	10
6 REPORTING CONDITIONS	10
R1 Annual return documents	10
R2 Notification of environmental harm	12
R3 Written report	12
GENERAL CONDITIONS	13
G1 Copy of licence kept at the premises	13

Environment Protection Licence

Licence - 4146



POLLUTION STUDIES AND REDUCTION PROGRAMS	13
SPECIAL CONDITIONS	13
DICTIONARY	14
General Dictionary	14



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- and
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA


For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

The EPA publication "A Guide to Licensing" contains information about how to calculate your licence fees.

Environment Protection Licence

Licence - 4146



The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

CLEARY BROS (BOMBO) PTY LTD
PO BOX 210
PORT KEMBLA NSW 2505

subject to the conditions which follow.

1 Administrative conditions


A1 What the licence authorises and regulates

A1.1 Not applicable.

A1.2 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Environment Protection Licence

Licence - 4146



Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity
Dredging Works

Fee Based Activity	Scale
Water-based extractive activity	> 50000 - 100000 m3 obtained or moved

A1.3 Not applicable.

A2 Premises to which this licence applies

A2.1 The licence applies to the following premises:


Premises Details
SOUTHERN EXTRACTION AREA
BERRY BEACH ROAD
GERROA
NSW
2534
LOT A DP185785
LAND IN CERTIFICATE OF TITLE VOL 5841; FOL 139

A3 Other activities

A3.1 Not applicable.

Environment Protection Licence

Licence - 4146



A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- (a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- (b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to air and water and applications to land

P1 Location of monitoring/discharge points and areas

P1.1 Not applicable.

P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

P1.3 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

Water and land

EPA identification no.	Type of monitoring point	Type of discharge point	Description of location
1		Discharge to waters	Overflow pipe from the dredge pond as indicated on the site plan attached to the licence information form dated 7/1/2000.


3 Limit conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

Environment Protection Licence

Licence - 4146



L2 Load limits

L2.1 Not applicable.

L2.2 Not applicable.

L3 Concentration limits

L3.1 Not applicable.

L3.2 Not applicable.

L3.3 Not applicable.

L4 Volume and mass limits

L4.1 Not applicable.

L5 Waste

L5.1 Not applicable.

L6 Noise Limits

L6.1 Not applicable.


4 Operating conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- (a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- (b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.



O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
- (a) must be maintained in a proper and efficient condition; and
 - (b) must be operated in a proper and efficient manner.

5 Monitoring and recording conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
- (a) in a legible form, or in a form that can readily be reduced to a legible form;
 - (b) kept for at least 4 years after the monitoring or event to which they relate took place; and
 - (c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
- (a) the date(s) on which the sample was taken;
 - (b) the time(s) at which the sample was collected;
 - (c) the point at which the sample was taken; and
 - (d) the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

- M2.1 Not applicable.

M3 Testing methods - concentration limits

- M3.1 Not applicable.


- M3.2 Not applicable.

M4 Recording of pollution complaints

- M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or

Environment Protection Licence

Licence - 4146



agent of the licensee in relation to pollution arising from any activity to which this licence applies.

- M4.2 The record must include details of the following:
- (a) the date and time of the complaint;
 - (b) the method by which the complaint was made;
 - (c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
 - (d) the nature of the complaint;
 - (e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
 - (f) if no action was taken by the licensee, the reasons why no action was taken.

M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M5 Telephone complaints line

M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M5.3 Conditions M5.1 and M5.2 do not apply until 3 months after:

- (a) the date of the issue of this licence or
- (b) if this licence is a replacement licence within the meaning of the Protection of the Environment Operations (Savings and Transitional) Regulation 1998, the date on which a copy of the licence was served on the licensee under clause 10 of that regulation.

M6 Requirement to monitor volume or mass

M6.1 Not applicable.


6 Reporting conditions

R1 Annual return documents

What documents must an Annual Return contain?

Environment Protection Licence

Licence - 4146



R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

- (a) a Statement of Compliance; and
- (b) a Monitoring and Complaints Summary.

A copy of the form in which the Annual Return must be supplied to the EPA accompanies this licence. Before the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

Period covered by Annual Return

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- (a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- (b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- (a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- (b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

Deadline for Annual Return

R1.5 The Annual Return for the reporting period must be supplied to the EPA by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

Notification where actual load can not be calculated

R1.6 Not applicable.

Licensee must retain copy of Annual Return


R1.7 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

Certifying of Statement of Compliance and signing of Monitoring and Complaints Summary

R1.8 Within the Annual Return, the Statement of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

Environment Protection Licence

Licence - 4146



- (a) the licence holder; or
- (b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

R1.9 A person who has been given written approval to certify a certificate of compliance under a licence issued under the Pollution Control Act 1970 is taken to be approved for the purpose of this condition until the date of first review of this licence.

R2 Notification of environmental harm

Note: The licensee or its employees must notify the EPA of incidents causing or threatening material harm to the environment as soon as practicable after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R2.1 Notifications must be made by telephoning the EPA's Pollution Line service on 131 555.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:

- (a) where this licence applies to premises, an event has occurred at the premises; or
- (b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,

and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.

R3.3 The request may require a report which includes any or all of the following information:

- (a) the cause, time and duration of the event;
- (b) the type, volume and concentration of every pollutant discharged as a result of the event;
- (c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
- (d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
- (e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- (f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- (g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it

Environment Protection Licence

Licence - 4146



is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

General conditions

G1 Copy of licence kept at the premises


- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Pollution studies and reduction programs

- U1.1 Not applicable.

Special conditions

- E1.1 Not applicable.



Dictionary


General Dictionary

In this licence, unless the contrary is indicated, the terms below have the following meanings:

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 1998.


Environment Protection Licence

Licence - 4146



flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 1998
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence



Licence - 4146

TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste

Ms Nadia Kanhoush

Environment Protection Authority

(By Delegation)

Date of this edition - 17-Mar-2006

End Notes

- 1 Licence varied by notice 1019326, issued on 25-Jul-2002, which came into effect on 19-Aug-2002.
- 2 Licence varied by change to DEC Region allocation, issued on 17-Mar-2006, which came into effect on 17-Mar-2006.
- 3 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>

Appendix C

EROSION AND SEDIMENT CONTROL PLAN

EROSION AND SEDIMENT CONTROL PLAN

1. Introduction

At the commencement of operations in the quarry extension area, all of the disturbed land within the boundary of the sand quarry drains towards the dredge pond. The dredge pond receives any rainfall runoff from disturbed areas and acts as a large settling basin.

Land currently disturbed by sand extraction is bordered on its eastern side by higher ground and on its western side by a flood bund, constructed to a height of 3.2 metres AHD to keep external flood water out. The flood bund has the secondary effect of retaining any runoff from disturbed areas within the sand quarry.

As sand mining progresses into the extension area, it will pass through an elevated forested dune area and then enter an area of lower altitude, partly cleared with scattered trees. A new section of flood bund will be required on the western side of this lower area where levels drop below 3.2 metres AHD. Further north from this section the site is grassland with a western boundary above the 3.2 m AHD level. To the west of the extraction area the land slopes away to the property's main drainage channel, which leads to Blue Angle Creek.

Having regard to the unique circumstances of the sand quarry, the potential risk of erosion and sedimentation that is addressed in this plan is as follows:

- erosion during mining operations caused by wind, vehicle movement, rainfall or wave action;
- sediment movement from unmined dunes during initial disturbance for clearing and topsoil stripping;
- sediment movement from the western side of the extension area downslope towards the main channel; and
- erosion of final batters both within the foreshore zone and in the dry zone above.

The above risks are addressed in the following sections

2. Erosion Control during Sand Mining

While the site is functioning as a sand quarry, procedures to be observed to control erosion include:

- internal roadways and the loading area are to be kept moist when in use to minimise erosion initiated by vehicles;
- activities involving disturbance to dry sand will cease during periods of high wind when there is visible evidence of material escaping to the wind as a result of mobilisation by machinery;

- ❑ topsoil stockpiles will be stabilised (seeded or mulched) unless the topsoil is to be used for rehabilitation within two weeks of stockpiling;
- ❑ prior to sand removal, clean water cutoff drains shall be installed above any cut batter location where there is potential for external rainfall runoff to flow down the batter towards the dredge pond. The purpose of the drain is to protect the cut batter from rilling and slumping which might reduce the width of buffer to the adjoining vegetation.
- ❑ the rate of sand mining will be controlled to match product dispatch to avoid accumulating excessive stockpiles;
- ❑ each section of the dredge pond foreshore will be backfilled to a stable landform as soon as possible after sand has been extracted from that section;
- ❑ finished surfaces will be stabilised as soon as possible following shaping to minimise exposure to erosion;
- ❑ completed sections of the dredge pond foreshore and batters are to be inspected at least quarterly and any erosion damage repaired; and
- ❑ cut off drains are to be inspected and maintained at least quarterly.

3. Sediment Control during Sand Mining

3.1 Clearing and Topsoil Stripping

Prior to any disturbance for clearing or topsoil stripping, silt stop fencing will be installed across any aspect of the worksite where there is a slope away from the dredge pond. The fencing is to be installed as shown in Figure 1.

If it is likely the fencing will remain in place for the duration of sand mining, it should be installed on the boundary fence where it will not be in the way of operations. Fencing is not needed on any slope leading into the working area of the dredge pond as any sediment movement in that direction will be collected by the dredge.

3.2 Boundary Protection

Parts of the western side of the extension area slope downwards through Swamp Sclerophyll Forest to the main drainage channel. To ensure that there is no sediment movement off the western side of the site, silt stop fencing will be installed along the boundary wherever disturbed land adjoins a slope leading away from the dredge pond. Such a slope may occur on the western side of the access track or flood bund.

3.3 Maintenance

Silt stop fencing is to be inspected at least monthly and after any significant rainfall event. Any necessary maintenance is to be effected whenever the need is apparent. Sediment shall not be allowed to build up in front of silt stop fencing.

